



Pre and Post Vivace Treatment Care:

The Vivace Fractional Microneedling with Radiofrequency treatment uses acupuncture size gold plated needles to heat the skin, thus improving the appearance of rough texture, fine lines, deep wrinkles, large pores and depressed scars, such as acne scars along with skin discoloration. The treatment stimulates immediate collagen tightening as well as generation and replenishment. The procedure is performed in a safe and precise manner, typically completed in 30-60 minutes. Treatment time may vary based on the required treatment and anatomic site being treated. Three to five treatment sessions are recommended.

Check out our website for more information! <https://gunndermatology.com/vivace>

How should I prepare for the treatment?

- Avoid retinoid products, and any acids like glycolic acid products for 1 week prior to treatment.
- Notify Dr. Gunn or staff if you have a history of cold sores. The doctor will pre-treat you with Valtex to prevent any outbreaks.
- It is preferred that you arrive for your appointment clean-faced without makeup, moisturizer, or lotions on the day of the treatment.
- Notify Dr. Gunn or staff if you have any history of keloidal scarring, metal or skin allergies, or if you have been on Isotretinoin (Accutane) within the past 6 months.

What should I expect during treatment?

- After application of a topical numbing cream, the treatment feels like little more than light pressure to the face, with an occasional, light sparking feeling. Radiofrequency provides heat that stimulates collagen production which has been found to lead to tighter, younger-looking skin. Combined with state-of-the-art microneedling, patients have experienced optimal results. You may request Pronox to decrease any discomfort during the treatment.

What will I look like after treatment?

- Immediately after the treatment, your skin will be red and flushed with an appearance similar to a moderate sunburn. You may experience skin tightness and mild sensitivity to touch to the area being treated. The redness will diminish greatly after a few hours following the treatment and within 24 hours the skin will be generally calmed.
- If you have treatment around your eyes, you may experience micro-bruising lasting for 3-4 days. This can be covered make-up.

- Do not take any anti-inflammatory medications such as: Ibuprofen, Motrin, and Advil. These agents will interfere with the natural inflammatory process that is critical and responsible for skin rejuvenation.
- Do not intensely exercise for 24-48 hours post procedure to minimize the risk of blistering.
- Within two days following your procedure, you will notice skin dryness and flaking. This is due to an increased turnover of skin cells. During this time we recommend that you apply a hydrating moisturizer.

How should I take care of my skin?

- Immediately After Treatment: Cleanse with a mild soap daily. Gently pat dry. If your skin feels dry or tight, apply a gentle moisturizer. Avoid partaking in activities that will heat up your skin, such as going in a hot tub/Jacuzzi/sauna, taking a very hot shower, or strenuous exercise for 2 days after treatment.
- First Few Days: Continue gentle cleansing and moisturizing over the next few days. Avoid scrubbing, rubbing, or using exfoliants for 1 week. Apply sunscreen daily and you can use makeup if needed starting the day after treatment.
- First Week of Healing: Keep treated area clean; avoid smoking, excessive alcohol consumption, excessive exercise, sweating, swimming, or exposing skin to heat and sun.
- Skin Care Products: All of your skin care products should be non-irritating and non-clogging for the first week or so after treatment. Moisturizer should be applied one to two times per day. We also recommend using a vitamin C serum daily to help with healing and to decrease pigmentation. The staff can give skincare recommendations if you would like.
- Scrubs, Toners, Glycolic Acid, and retinoids: Your skin will be sensitive for the first week or two after treatment. Do NOT use products that will cause irritation during this time. Please do not use any scrubs, toners, glycolic acid, retinoids (RetinA or retinol), or bleaching creams (hydroquinone) until your skin has healed, unless otherwise directed by your doctor.
- Sunscreen: It is very important that you use sunscreen to prevent discoloration and sun damage to the skin while it is healing. Use sunscreen daily for at least 3 months after your last treatment. The sunscreen should offer broadband protection (UVA and UVB) and have a sun protection factor (SPF) of 30 or more. Apply sunscreen 20 minutes before going outside and reapply sunscreen every 2 hours. If direct sun exposure is necessary, wear a hat and clothing that covers the treated area.
- Abnormal Healing: If you notice any pimples, blisters, cuts, bruises, crusting/scabs, areas of raw skin, ulcerations, active bleeding, increased discomfort or pain, pigment changes (lighter or darker than usual complexion) or any other problems, please contact us as soon as possible.
- A week after your Vivace treatment, most patients note that their skin is smoother, and more radiant.

If you have any questions or concerns, please call or staff:
205-415-736